

TN POWER (LiFePO4) Data Sheet

TN-LFP12.8V100Ah Models

Q FEATURES


- + Using the technology of lithium iron phosphate cell, superior safety,
- + Thousands of cycles, 100% DOD, under normal conditions
- Built-in automatic protection for over-charge, discharge and temperature
- +
- Maintenance free
- + Internal cell balancing
- + Lighter weight: About 40% ~50% of the weight of lead acid battery
- +
- + Can be charged using most standard lead-acid charges (set)
- + Wider temperature range: -20 60°C
- + Support for Series application expansion (up to 51.2V) and two in parallel


APPLICATION

UPS
Solar &Wind Power System
Golf Cart
Electric Vehicle, etc.
Lighting

ODIMENSIONAL SPECIFICATIONS







GENERAL SPECIFICATIONS

ELECTRICAL CHARACTERISTICS	
Nominal Voltage	12.8V
Nominal Capacity	100Ah@0.2C
Energy	1280Wh
Internal Resistance	45≤mΩ
Cycle Life	>2000 Cycles @ 0.2C Charging/Discharging at 100%DOD,Until 70% Capacity.
Self Discharge	≤3.5% per month at 25

STANDARD DISCHARGING	
Discharging Current	20A
Max, Continuous Current	100A
Max Pulse Current	200A (<3S)
Discharging Cut-off Voltage	10.0V

STRUCTURE	
Cell & Format	IFR32700 N60, 4S17P
Casing	ABS
Dimension(L*W*H*TH)	328*172*215*220mm
Weight Approx.	13.1Kg
Terminal	M8

STANDARD CHARGING	
Charging Voltage	14.6±0.2V
Charging Mode (CC/CV)	At 0°C - 45°C temperature, charged to 14.6V at a constant current of 0.2C5A, and then, changed continuously with constant voltage of 14.6V until the current was not more than 0.02C5A.
Charging Current	20A
Max Charging current	50A

ELECTRICAL CHARACTERISTIC	S
Charge Temperature	0 to 45 (32 to 113) @60±25% Relative Humidity
Discharge Temperature	-20 to 60 (-4 to 140) @60±25% Relative Humidity
Storage Temperature	0 to 45 (32 to 113) @60±25% Relative Humidity
Water Dust Resistance	IP55


1



LITHIUM IRON PHOSPHATE (LiFePO4) BATTERY

MODEL: TN-LFP12.8V100AH







www.sunshinesolar.co.uk

Sunshine Solar Ltd

Unit 30, Ashwellthorpe Industrial Estate

Ashwellthorpe, Norwich, Norfolk, NR161ER